

APPLICANT'S NAME: _____

DATE: _____

SCORE: _____

CT003 CARPENTRY TEST - FINISH

Below are some multiple-choice questions pertaining to Finish Carpentry.
Circle the BEST possible answer for each question.

1. What is the name for a single frame containing one or more pieces of glass?
 - A. Sill
 - B. Dormer
 - C. Sash
 - D. Pane

2. What is the name for the piece of molding attached to one of a pair of swinging doors, against which the other door strikes?
 - A. Astragal
 - B. Shoe
 - C. Casing
 - D. Clamshell

3. Two pieces of molding that meet at a 90° corner should each be cut to what angle?
 - A. 22 ½°
 - B. 90°
 - C. 45°
 - D. 180°

4. A thin metal blade is used on what type of hand saw to bevel cut and shape molded wood to fit the contour of an adjoining piece?
 - A. Keyhole
 - B. Hack
 - C. Miter
 - D. Copeing

5. What is the name of a thin, wedge-shaped piece of wood used to level and plumb pre-hung doors?
 - A. Shake
 - B. Shim
 - C. Plug
 - D. Block

6. What is the name of the joint where two pieces of molding are miter cut and mated together, on a straight run, to appear as one continuous piece?
 - A. Scarf
 - B. Butt
 - C. Coped
 - D. Angle

7. What is the term for the small, usually quarter round molding, used around the perimeter of a room where the baseboard meets the floor?
 - A. Floor
 - B. Stile
 - C. Shoe
 - D. Screen

8. A shop made jig used to ensure a tight fit between baseboard and door casing is known as what?
 - A. Gauge
 - B. Preacher
 - C. Guide
 - D. Scribe

9. A T-bevel can be used to find precise what?
 - A. Pitches
 - B. Copes
 - C. Elevations
 - D. Angles

10. What tool is used to counter sink finish nails?
 - A. Nail pick
 - B. Nail set
 - C. Nail guide
 - D. Nail sinker

11. What is the term for a single saw cut that creates two different angles at the same time?
 - A. Compound
 - B. Flair
 - C. Bevel
 - D. Diagonal

12. Chair rail molding is usually fastened with finish nails to what?
 - A. Rail runners
 - B. Dead wood
 - C. Studs
 - D. Rafters

13. What is the name of the doors, slotted for ventilation, which are commonly used for pantries and A/C access areas?

- A. Pocket
- B. Louver
- C. French
- D. Swing

14. What type of molding is most commonly used for door casing?

- A. Crown
- B. Fluted
- C. Routed
- D. Clamshell

15. The arrow below is pointing to what measurement?

- A. $2 \frac{3}{16}$ "
- B. $2 \frac{9}{16}$ "
- C. $2 \frac{5}{8}$ "
- D. $2 \frac{13}{16}$ "

