

**APPLICANT'S NAME:** \_\_\_\_\_

**DATE:** \_\_\_\_\_

**SCORE:** \_\_\_\_\_

CT006 CARPENTRY TEST – METAL STUD FRAMING

Below are some multiple-choice questions pertaining to Metal Stud Framers.  
Circle the BEST possible answer for each question.

1. A common screw used to fasten metal studs to metal track is known as \_\_\_\_\_?
  - A. Lock heads
  - B. Flat heads
  - C. Pan heads
  - D. Dish heads
  
2. Metal "furring" strips are commonly referred to as what?
  - A. Fastening channel
  - B. Hat channel
  - C. Block channel
  - D. Stud channel
  
3. Wooden studs are often combined with metal studs to assist in the installation of what?
  - A. Cabinets
  - B. Shelving
  - C. Pre-hung doors
  - D. All of the above
  
4. What tool is used to cut metal studs or track in the most timely manner?
  - A. Chop saw
  - B. Aviator snips
  - C. Side cutters
  - D. Shears
  
5. A magnetic hammer is often used to fasten the bottom track to a concrete slab with what?
  - A. Cut nails
  - B. Stub nails
  - C. T nails
  - D. Set nails

6. The top track of a metal stud wall should be \_\_\_\_\_to(than) the bottom track?
  - A. Shorter
  - B. Longer
  - C. Plumb
  - D. Fastened
  
7. What are the benefits of metal stud framing?
  - A. Non-combustibility
  - B. Lightness of weight
  - C. Termite resistance
  - D. All of the above
  
8. What are two common dimensions for center to center stud layout?
  - A. 8" or 12"
  - B. 16" or 24"
  - C. 18" or 36"
  - D. 10" or 20"
  
9. What is the term for the piece of metal that is placed horizontally through pre-cut holes in metal studs to strengthen them?
  - A. Channel braces
  - B. Channel beams
  - C. Channel stiffeners
  - D. Channel runners
  
10. What are the vertical sides of a metal-framed door opening commonly referred to as?
  - A. Jambs
  - B. Headers
  - C. Thresholds
  - D. Studs
  
11. What are the pre-cut holes at various locations in metal studs commonly known as?
  - A. Channels
  - B. Cleanouts
  - C. Knockouts
  - D. Passways
  
12. What are typical gauge sizes for residential and commercial metal frame work?
  - A. 5 to 15 gauge
  - B. 20 to 25 gauge
  - C. 35 to 40 gauge
  - D. 45 to 50 gauge
  
13. When one piece of track meets another on a straight run they should be \_\_\_\_\_?
  - A. Crimped
  - B. Mitered
  - C. Boxed
  - D. Lapped

14. The bottom section of a header above metal framed doorways is usually made with\_\_\_\_\_?
- A. Track
  - B. Studs
  - C. Wood
  - D. I metal

15. The arrow below is pointing to what measurement?
- A.  $3 \frac{3}{8}$ "
  - B.  $3 \frac{1}{4}$ "
  - C.  $3 \frac{5}{8}$ "
  - D.  $3 \frac{7}{8}$ "

